



**PRO
BASS[®]**



BLUETOOTH SPEAKERS

PORTABLE POWERED SYSTEM
PORTABLE BATTERY LOUDSPEAKER

ELEVATE115

PORTABLE POWERED SPEAKER

2000W

MAX POWER



ENJOY YOUR MUSIC!



LCD DISPLAY



REINFORCED HANDLES



SPECIFICATIONS

- 15" active speaker box
- Max Power: 2000W
- Bluetooth®
- Woofer : 15"
- Tweeter: 1" - Titanium
- Frequency Response : 60Hz-35KHz
- Impedance : 4Ω
- Amplifier : Class-AB
- Mic in : XLR & 1/4" jack
- Line in : XLR & RCA
- Line out: XLR & 1/4" Jack
- Remote Control
- Voltage : 110V/220V Switchable

REMOTE CONTROL
INCLUDED



 **Bluetooth®**

PORTABLE



WOOFER

15"

CHANNELS

3

POWERSTAGE215

POWERED PORTABLE PA SYSTEM

3500W

MAX POWER



**MICROPHONE
MIC CABLE &
STAND INCLUDED**

REINFORCED HANDLES



**POWERED
OUTPUT**

SPECIFICATIONS

- 15" Active speaker box + 15" Pasive speaker box
- Impedance : 8
- Max Power: 3500w
- Amplifier : Class-AB
- Bluetooth®
- Mic in : XLR & 1/4 jack
- Woofer : 15"
- Line in : XLR & RCA
- Tweeter: 1" - Titanium
- Line out : XLR & 1/4 jack
- Frequency Response : 55Hz-35KHz
- Speakon output to drive passive speaker box
- Sensitivity : 94dB
- Voltage: 110V/220V switchable

INCLUDED: MICROPHONE / 2 SPEAKER STANDS / MIC CABLE / SPEAKER CABLE

 **Bluetooth®**


**WOOFER
15"**

UNDERGROUND 15

PORTABLE BATTERY LOUDSPEAKER

1600W

MAX POWER



THERE IS
NO LIMIT!
BATTERY POWERED



HANDLES



WHEELS



SPECIFICATIONS

- 15" active speaker box
- Max Power: 1600W
- Bluetooth®
- Woofer : 15"
- Tweeter : 1" - Titanium
- Frequency Response : 60Hz-25KHz
- Impedance : 4
- Amplifier : Class-D
- Mic in : 1/4" jack
- Guitar in : 1/4" jack
- Line in : RCA & 1/8" Jack
- 2-Band EQ : Treble ,Bass
- Battery : 4.5A 12V
- Remote Control

WIRELESS
MICROPHONE
INCLUDED



 **Bluetooth®**

PORTABLE



WOOFER

15"

CLASS

D

ELEVATE LP

PORTABLE POWERED SPEAKER



2000W

MAX POWER



**MICROPHONE
MIC CABLE &
STAND INCLUDED**



LCD DISPLAY




REINFORCED HANDLES



SPECIFICATIONS

- 15" active speaker box
- Max Power: 2000W
- Bluetooth®
- Woofer : 15"
- Tweeter: 1" - Titanium
- Frequency Response: 60Hz-20KHz
- Impedance: 4Ω
- Amplifier: Class-D
- Mic in: 1/4" jack
- Guitar in: 1/4" jack
- Line in: RCA & 1/8" Jack
- 2-Band EQ: Treble, Bass
- Remote Control
- Voltage: 110-220V ~ 60/50Hz



**REMOTE CONTROL
INCLUDED**

PORTABLE



CLASS

D

WOOFER

15"

CHANNELS

3

GALAXY115

PORTABLE POWERED SPEAKER

2000W

MAX POWER



WIRELESS AUDIO!

REINFORCED HANDLES

MULTIPLE FRONT LED

SPECIFICATIONS

- 15" active speaker box
- Bluetooth®
- Woofer : 15"
- Tweeter: 1" - Titanium
- Frequency Response: 60Hz-20KHz
- Impedance: 4Ω
- Amplifier: Class-D
- Mic in: 1/4" jack
- Guitar in: 1/4" jack
- Line in: RCA & 1/8" Jack
- 2-Band EQ: Treble, Bass
- Voltage: 110-220V ~ 60/50Hz



Bluetooth®

PORTABLE



CHANNELS

3

WOOFER

15"

CLASS

D

POWERBASS215

2-WAY POWERED LOUDSPEAKER

4700W

MAX POWER



ENJOY YOUR
MUSIC!



LCD DISPLAY



REINFORCED HANDLES

SPECIFICATIONS

- 2-way powered loudspeaker
- Max Power: 4700W
- Bluetooth®
- Woofer : 2x15"
- Tweeter: 1" - Titanium
- Frequency Response : 60Hz-35KHz
- Impedance : 4Ω
- Amplifier : Class-AB
- Mic in : XLR & 1/4" jack
- Line in : XLR & RCA
- Line out: XLR & 1/4" Jack
- Remote Control
- Voltage : 110V/220V Switchable



REMOTE CONTROL
INCLUDED

EXTRABASS | WOOFER | CHANNELS
 2X 15" | 3


 Bluetooth®

SMASH

PORTABLE POWERED SPEAKER

2000W

MAX POWER



THERE IS
NO LIMIT!
BATTERY POWERED




REINFORCED HANDLES



TRUE
WIRELESS
STEREO

SPECIFICATIONS

- Rechargeable battery
- LED lights
- Wireless Music Player
- Woofer 2x6.5"
- Led screen
- Includes microphone + cable
- Microphone input
- Echo FX
- AUX Line input (3.5mm)
- Compact system for easy and comfortable transport



MICROPHONE
AND CABLE
INCLUDED



 **Bluetooth**[®]

PORTABLE



MIC INPUT



WOOFER

2X **6.5"**

MIC ECHO

FX

WAVE8

PORTABLE AUDIO SYSTEM



ENJOY YOUR
MUSIC!
WITH WOOFER 8"



TRUE
WIRELESS
STEREO




THERE IS
NO LIMIT!
BATTERY POWERED



 **Bluetooth®**

SPECIFICATIONS ▾

- Portable audio system
- RMS Power 250W
- It works with rechargeable battery
- Woofer 8"
- LED screen
- Includes microphone
- Microphone input
- AUX Line input (3.5mm)



AUX LINE



WOOFER

8"

MICROPHONE
INCLUDED



WAVE12

PORTABLE AUDIO SYSTEM



ENJOY YOUR
MUSIC!

WITH WOOFER 12"



TRUE
WIRELESS
STEREO



THERE IS
NO LIMIT!
BATTERY POWERED




WHEELS



SPECIFICATIONS ▾

- Portable audio system
- Includes microphone
- RMS Power 400W
- Microphone input
- It works with rechargeable battery
- AUX Line input (3.5mm)
- Woofer 12"
- Compact system for easy and comfortable transport
- LED screen



 **Bluetooth®**

**MICROPHONE
INCLUDED**



AUX LINE



WOOFER

12"

REC FUNCTION



WAVE15

PORTABLE AUDIO SYSTEM



ENJOY YOUR
MUSIC!

WITH WOOFER 15"



TRUE
WIRELESS
STEREO



THERE IS
NO LIMIT!


BATTERY POWERED



WHEELS

SPECIFICATIONS ▾

- Portable audio system
- Includes microphone
- RMS Power 700W
- Microphone input
- It works with rechargeable battery
- AUX Line input (3.5mm)
- Woofer 15"
- Compact system for easy and comfortable transport
- LED screen



 **Bluetooth®**

**MICROPHONE
INCLUDED**



AUX LINE



WOOFER

15"

REC FUNCTION



WAVE208

PORTABLE AUDIO SYSTEM



ENJOY YOUR
MUSIC!

WITH 2X8" WOOFER



TRUE
WIRELESS
STEREO



THERE IS
NO LIMIT!

BATTERY POWERED



WHEELS

MULTIPLE
FRONT
LED

 **Bluetooth®**

WIRELESS MICROPHONE
& REMOTE CONTROL
INCLUDED



PORTABLE



WOOFER

2X8"

REC FUNCTION



SPECIFICATIONS ▾


- Woofer: 2x8"
- RMS Power 80W
- Auditorhythmic light effects
- Lithium battery
- Bluetooth®
- REC Function
- MIC & Guitar Input
- Wireless microphone included
- Remote control included
- Aux Input

STREET12

PORTABLE AUDIO SYSTEM

800W

MAX POWER



THERE IS NO LIMIT!

BATTERY POWERED




TRUE WIRELESS STEREO



SPECIFICATIONS

- 12" active speaker box
- Bluetooth®
- Woofer : 12"
- Tweeter : 1"
- Freq Response : 65Hz-20KHz
- Impedance : 4Ω
- LED light on front woofer
- Mic in : 1/4" jack
- Line in : 1/8" Jack
- 2-Band EQ : Treble ,Bass
- Battery : 3000mAh 7.4V
- Remote Control



Bluetooth®

**MICROPHONE
INCLUDED**

PORTABLE



WOOFER

12

REC FUNCTION




STREET15

PORTABLE AUDIO SYSTEM

1000W

MAX POWER



THERE IS
NO LIMIT!
BATTERY POWERED




HANDLES



TRUE
WIRELESS
STEREO

SPECIFICATIONS

- 15" active speaker box
- Bluetooth®
- Woofer : 15"
- Tweeter : 1"
- Freq Response : 65Hz-20KHz
- Impedance : 4Ω
- LED light on front woofer
- Mic in : 1/4" jack
- Line in : 1/8" Jack
- 2-Band EQ : Treble ,Bass
- Battery : 3000mAh 7.4V
- Remote Control



Bluetooth®

MICROPHONE
INCLUDED

PORTABLE



WOOFER

15

REC FUNCTION





MIXING CONSOLE

MIXING CONSOLE
INTERFACE AUDIO MIXING

PL804

PROFESSIONAL AUDIO MIXING CONSOLE

ULTRA-COMPACT HIGH QUALITY MIXER RUGGED CONSTRUCTION

ULTRA-COMPACT, HIGH-QUALITY MIXER

8-INPUTS

XLR MIC CONNETORS

+48 PHANTOM POWER

STEREO CHANNELS

3-BAND EQ PER CHANNEL

FX/AUX SEND

RUGGED CONSTRUCTION



8 INPUT CHANNEL



CTRL-ROOM
OUTPUT
FX/AUX SEND

SPECIFICATIONS

- 8 inputs
- 2 XLR microphone inputs
- +48 phantom power
- 2 stereo channel inputs
- 1 stereo aux return
- 3-band equalizer per channel
- 2-Track RCA assignable input CTRL-ROOM/MAIN
- FX/AUX post-fader send
- TRS stereo main output
- TRS stereo Control Room output
- TRS headphones output
- 2-Track RCA output
- 4-led vumeter

XLR MIC
CONNECTORS



PHANTOM
POWER

+48

STEREO
CHANNELS



3-BAND EQ
PER CHANNEL



PL804 USB

PROFESSIONAL AUDIO MIXING CONSOLE

**ULTRA-COMPACT
HIGH QUALITY MIXER
RUGGED CONSTRUCTION**

ULTRA-COMPACT, HIGH-QUALITY MIXER

8-INPUTS

XLR MIC CONNETORS

+48 PHANTOM POWER

STEREO CHANNELS

3-BAND EQ PER CHANNEL

FX/AUX SEND

RUGGED CONSTRUCTION



8 INPUT CHANNEL



**CTRL-ROOM
OUTPUT
FX/AUX SEND**

SPECIFICATIONS

- 8 inputs
- 2 XLR microphone inputs
- +48 phantom power
- 2 stereo channel inputs
- 1 stereo aux return
- 3-band equalizer per channel
- 2-Track RCA assignable input CTRL-ROOM/MAIN
- FX/AUX post-fader send
- TRS stereo main output
- TRS stereo Control Room output
- TRS headphones output
- 2-Track RCA output
- 4-led vumeter



**USB
PORT**



**MP3
PLAYER**

**XLR MIC
CONNECTORS**



**PHANTOM
POWER**

+48

**STEREO
CHANNELS**



**3-BAND EQ
PER CHANNEL**



STUDIO LINK 6

PROFESSIONAL AUDIO INTERFACE MIXING

6 INPUT CHANNEL

ULTRA-COMPACT
HIGH QUALITY MIXER
RUGGED CONSTRUCTION

USB AUDIO
INTERFACE



LCD DISPLAY

MODE/BT

SPECIFICATIONS

- Professional Compact Mixer
- 6 input channels
- USB Port
- MP3 Player
- 2 XLR/TRS combo inputs
- +48V phantom power
- 1 stereo input channel
- 2-band equalizer per channel
- USB 2-in/2-out
- 16 Digital Effects
- TRS stereo main output
- RCA stereo input
- Headphones output
- 2-Track RCA output
- 4-Led vumete



LCD
DISPLAY

LCD

PHANTOM
POWER

+48

DIGITAL
FX

16

2-BAND
EQ


STUDIO LINK 8

PROFESSIONAL AUDIO INTERFACE MIXING

8 INPUT CHANNEL

ULTRA-COMPACT
HIGH QUALITY MIXER
RUGGED CONSTRUCTION

USB AUDIO
INTERFACE



SPECIFICATIONS

- Professional Compact Mixer
- 6 input channels
- USB Port
- MP3 Player
- 2 XLR/TRS combo inputs
- +48V phantom power
- 1 stereo input channel
- 2-band equalizer per channel
- USB 2-in/2-out
- 16 Digital Effects
- TRS stereo main output
- RCA stereo input
- Headphones output
- 2-Track RCA output
- 4-Led vumete



LCD
DISPLAY

LCD

PHANTOM
POWER

+48

DIGITAL
FX

16

2-BAND
EQ

PM1224BT

PROFESSIONAL AUDIO MIXING CONSOLE

12 INPUT CHANNEL

ULTRA
SLIM,



AUXILIARY FX SEND

SPECIFICATIONS

- Ultra-slim mixer
- Built in MP3 player
- USB/Bluetooth channel
- Delay FX
- 6 microphone XLR channels with pre-amplifiers and Phantom Power (+48V)
- Stereo channel
- Insert in/out for external equipment
- 3-band equalizer per channel
- Peak led indicator in all channels
- Auxiliary pre-fader monitor sending / effects post-fader
- Comfortable faders for a balanced mix
- Output to monitor through earphones

 **Bluetooth®**

 **USB DIGITAL
MEDIA PLAYER**

**XLR MIC
CONNECTORS**



**PHANTOM
POWER**

+48

**STEREO
CHANNELS**



**3-BAND EQ
PER CHANNEL**



PM1624BT

PROFESSIONAL AUDIO MIXING CONSOLE

16 INPUT CHANNEL



MP3 DIGITAL MEDIA PLAYER

- Quick access buttons
Play/Pause - Prev - Next - Menu
- Extended screen. More info
- Bluetooth wireless connection
- Audio formats: WAV/WMA/MP3

ULTRA SLIM,

AUXILIARY FX SEND

SPECIFICATIONS

- Ultra-slim mixer
- Built in MP3 player
- USB/Bluetooth channel
- Delay FX
- 10 microphone XLR channels with pre-amplifiers and Phantom Power (+48V)
- Stereo channel
- Insert in/out for external equipment
- 3-band equalizer per channel
- Peak led indicator in all channels
- Auxiliary pre-fader monitor sending / effects post-fader
- Comfortable faders for a balanced mix
- Output to monitor through earphones

Bluetooth®

USB DIGITAL MEDIA PLAYER

XLR MIC CONNECTORS



PHANTOM POWER

+48

STEREO CHANNELS



3-BAND EQ PER CHANNEL





PROFESSIONAL MICROPHONE

PROFESSIONAL MICROPHONE
WIRELESS MICROPHONE

UF112

PROFESSIONAL MICROPHONE


ULTRAHIGH

FREQUENCY

SIMULTANEOUS USE

QUICK
SETUP!

RUGGED CONSTRUCTION



2 MIC
CHANNELS

SPECIFICATIONS

- Frequency range: UHF 470~558MHz (depends on the region)
- Frequency stability: $\pm 0.005\%$
- Modulation mode: FM
- Max modulation frequency: $\pm 40\text{KHZ}$
- Frequency response: 100HZ~10KHZ
- S/N: 90dB
- Effective working distance: about 80m (open field)
- T.H.D: $\leq 5\%$
- Operation temperature: $0^{\circ}\text{C} \sim 50^{\circ}\text{C}$

RECEIVER

- Receive mode: Quartz-crystal control locking frequency
- Sensitivity: 12dbu (S/N 20dB)
- Audio output level: 0~400mV

TRANSMITTER

- RF output power: $\leq 10\text{mW}$
- Directivity: Dynamic uni-directional
- Battery: AA1.5x2



CONTINUOUS
USE

10^{HS}

BALANCED
XLR OUTPUTS

HIGH POWER
TRANSMISSION

OPEN
FIELD

80^M

VF212

PROFESSIONAL MICROPHONE

VERY HIGH

FREQUENCY ▽ SIMULTANEOUS USE

QUICK
SETUP!
RUGGED CONSTRUCTION

ULTRA
SLIM

2 MIC
CHANNELS



SPECIFICATIONS ▽

- Frequency range: VHF 174~240MHz (depends on the region)
- Frequency stability: $\pm 0.005\%$
- Modulation mode: FM
- Max modulation frequency: $\pm 40\text{KHZ}$
- Frequency response: 100HZ~10KHZ
- S/N: 90dB
- Effective working distance: about 262ft (open field)
- T.H.D: $\leq 5\%$
- Operation temperature: $0^{\circ}\text{C} \sim 50^{\circ}\text{C}$

RECEIVER

- Receive mode: Quartz-crystal control locking frequency
- Sensitivity: 12dbu (S/N 20dB)
- Audio output level: 0~300mV

TRANSMITTER

- RF output power: $\leq 10\text{mW}$
- Directivity: Dynamic uni-directional
- Battery: AA1.5x2

CONTINUOUS
USE
8^{HS}

SUPERIOR
QUALITY AUDIO

OPEN
FIELD
80^M

PROMIC500

PROFESSIONAL MICROPHONE

CARDIOID

POLAR PATTERN



PODCAST

10FT (3m) XLR TO
TS 1/4" (6.5mm)

SPECIFICATIONS

- Polar Pattern: Cardioid
- Frequency reponse: 50Hz-15000Hz
- Output Impedance: 600Ω
- Sensitivity: -75dB±3dB
- Cable: 10ft / XLR to TS (1/4")



DISTRIBUTED BY

- Argentina: Importa, distribuye y garantiza Someco Electronics S.A. CUIT: 30-70217915-3
Reconquista 336 - Piso 6 OF-65 - (C1003ABH) - CABA - República Argentina Tel.: (54-11) 4655-3333
- Brasil: Importado e distribuido por SOMECO Ind. Com. Import. Export. Ltda. CNPJ: 01.872.488/0001-00 Origem China. Validade: Indeterminada.
- Chile: Importa, distribuye y garantiza Electronica Megatel SA (Someco Andina), Porvenir 140, Santiago Centro - Chile. contacto@somecoandina.cl
- United States: Imported, distributed and guaranteed by Someco America Corp. 7630 NW 25th St #1, Miami, FL 33122, USA

**PRO
BASS**®



**PRO
BASS®**